

## HOME FLOWW® SET



patented technology 

### Making Tech Organic

Thank you for purchasing the homeFloww® set. This set has been developed to support a conscious lifestyle at home or office while at the same time enjoying the advantages of modern technology. In our products we make clever use of electromagnetic fields (EMF) as an energy source to generate a field with frequencies that can also be found in nature. This field we call the Floww® field. This newly created field makes your living or working space more organic, which means more aligned with your own resonance. This way you have full benefit of your technological devices the whole day through while supporting your vitality simultaneously.

### Sustainability

No batteries or other energy sources are required for Floww. Our products are sustainable for people and planet. Users confirm that the patented Floww Health Technology supports the preservation of peace and vitality in the human body. As such, we make mobiles, computers and your living environments more organic. Thanks to the Floww® Field users often experience increased vitality as soon as they start to use a Floww®-product.

### Range of the homeFloww® set

In principle, the homeFloww® set has a range of at least 1,000 m<sup>3</sup>. The balanced interaction of the different parts of the set creates a Floww® Field in all rooms throughout your home/office. For large buildings (offices and schools) the more powerful officeFloww® kit is used. This has a range of at least 3,000 m<sup>3</sup>.

### Content of the homeFloww® set

1. **bioFloww®** (see bottom of wooden base):  
Wooden base (pyramid - shaped) with stainless steel antenna of 65 cm.
2. **geoFloww®** (see bottom of wooden base):  
Wooden base (pyramid - shaped) with stainless steel antenna of 65 cm.
3. **heatingFloww®**: This is an approximately 10 cm wide stainless steel antenna with stainless steel mounting points. This product is attached to the heating network.
4. **lectroFloww®**: This is an approximately 15 cm wide stainless steel antenna. This product is attached to the electricity grid.

5. **aquaFloww®**: This is an approximately 20 cm wide stainless steel antenna. This product is attached to the water supply system.
6. **tie-wraps**: the homeFloww® kit consists of 8 tie-wraps, 6 pieces to attach the heating, electro and aquaFloww® plus 2 extra tie-wraps.

### Position of the products

- Make sure you place the geoFloww® and the bioFloww® in a dry place.
- Do not expose the geoFloww® and the bioFloww® to large temperature changes.

### Tip!

**To keep the wooden base nourished, rub it with furniture oil.**

### Research & Development

Over the years we have conducted and collected a substantial and highly qualitative research portfolio. This involves both our own research as well as external parties auditing the effectiveness of Floww products. You can read more about this under [www.floww.com/faq](http://www.floww.com/faq). Would you like to do research on Floww? Please send us an email to [info@floww.com](mailto:info@floww.com).

*The Floww technology is based upon three principles:*

#### 1) Energy Harvesting

Floww technology makes clever use of present electromagnetic fields (EMF) to generate a different type of field, like solar panels do. The technology comprises extraction means for extracting electric power from the present electromagnetic field and transmission means for transmitting another field more aligned with nature. The more powerful the EMF, the stronger the field that is produced by Floww.

#### 2) Biomimicry

This science strives to imitate the genius systems of nature in the development and design of products, systems and processes. In Floww technology this is reflected by use of plants and Schumann resonances that allow for the creation of natural fields.

#### 3) Making tech organic

People, animals and plants function better in nature. In Floww technology we have combined patented electrotechnical applications with natural frequencies like Schumann resonances. This way you have your own piece of nature everywhere you go.


### User tips and guarantee

For guarantee provisions and instructions for the use of all Floww®-products, please visit [www.floww.com](http://www.floww.com).

## Instructions for use of the homeFloww® set

### Installation of the homeFloww® set (image 1a)

1. Place the bioFloww® on the floor of the highest room in your home/office. (See image 1a)
2. Place the geoFloww® on the floor of the lowest room in your home/office. (See image 1a)
3. Please note: seen from above, the geoFloww® and bioFloww® need to be positioned diagonally opposite one another. To enable optimal mutual reception (interference), the Floww® logos on the wooden base should be facing each other. (See image 1b)
4. If you live/work in an apartment, the geoFloww® and the bioFloww® should both be placed on the floor. Again, they need to be diagonally opposite one another, with the Floww® logos on the pyramids facing each other. (See image 1b)
5. Attach the aquaFloww® (See image 2 a, b), the heatingFloww® (See image 3) and the electroFloww®. See image 4, with the tie-wraps supplied with the set.



1a



1b

### Installation of the aquaFloww® (image 2a and 2b)

1. Attach the aquaFloww® to the water supply system (see image 2a)
  - On the incoming water supply pipe and
  - Before the water meter.
2. By wrapping a tie-wrap around one of the two stainless steel caps and the water supply pipe.
3. Pull the tie-wrap tight so the aquaFloww® is securely attached to the water supply pipe. Then do the same thing with the second tie-wrap.



2a



2b

Please note:

- If the incoming water supply pipe leading to the water meter is shorter than the aqua-Floww®, then wrap the second tie-wrap around the stainless steel antenna instead of around the cap. (See image 2b)
- If it is not possible to attach the aquaFloww® to the water pipe, instead attach the aquaFloww® on the top (high end) of the geoFloww® antenna.

### Installation of the heatingFloww® (image 3)

1. Attach the heatingFloww® to the central heating system:
  - on any radiator or
  - on the central heating pipe or
  - under the heating switch.
2. By wrapping a tie-wrap around one of the two stainless steel caps and the central heating pipe. Pull the tie-wrap tight so the heatingFloww® is securely attached to the central heating pipe. Then do the same thing with the second tie-wrap.



3

Please note:

- If you have an underfloor or hot air heating system: Attach the heatingFloww® to the vent pipe that leads from the central heating boiler. If you have a gas heater: Attach the heatingFloww® anywhere on the gas pipe.
- If it is not possible to attach the heatingFloww® to the heating network, instead attach the heatingFloww® on the top (high end) of the geoFloww® antenna.

### Installation of the electroFloww® (image 4)

1. Attach the electroFloww® to the electrical system:
  - on the incoming electric cable,
  - before the electricity meter,
  - place the Floww® logo visibly in the direction of the current
  - by wrapping a tie-wrap around one of the two stainless-steel caps and the electric cable.
2. Pull the cable tie tight so the electroFloww® is securely attached to the electric cable. Then do the same thing with the second tie-wrap.



4

Please note:

- If there is not a safe option to attach the electroFloww® to the power network/grid, instead please attach the electroFloww® on the top (high end) of the geoFloww® antenna.

### Withdrawal Symptoms

When you have just started using Floww®-products some withdrawal symptoms may occur, such as a mild headache and/or nausea. This is because the body has already adjusted itself to the electromagnetic fields (EMF) of monitors and other technical sources: a gradual process that does not directly lead to noticeable symptoms with most people. Remarkably, many people immediately experience positive changes in terms of feeling 'less tired' and 'more energy' when they start using Floww®-products. To counter any withdrawal symptoms, we recommend users to drink sufficient amounts of (mineral) water during the first two weeks: adults should drink at least 1.5 litre a day, children over 12 years one litre and children under 12 years half a litre a day. If, despite this, withdrawal symptoms persist (> one week), our advice is to contact the Floww International.

**Important:** Floww®-products are not medicines. In case of physical complaints, it is always best to contact the family doctor.

### User tips and guarantee

For additional user tips, warranty provisions, the download of the brochure and instructions for use of all Floww®-products, please see our website: [www.floww.com](http://www.floww.com). For optimal quality, we advise you to choose only one system. When Floww Health Technology is used in combination with other products that offer 'protection' against radiation, we cannot guarantee optimal performance. Floww Health Technology has as starting point: to use existing electromagnetic frequencies and transform them into natural body frequencies: Making Tech Organic.



If you have any questions or comments, or if you would like to share your experiences with other users, please contact Floww : [info@floww.com](mailto:info@floww.com).